

ANALYTICAL REPORT

Job Number: 420-199054-1
SDG Number: Chambers Elem
Job Description: Ulster BOCES

For:
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Attention: Christy Fischer



Designee for
Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
08/02/2021

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories LLC certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative. All services performed by EnviroTest Laboratories LLC are subject to our Terms and Conditions available at Envirotestlabs/terms.com. As of 12/23/19, EnviroTest Laboratories LLC acquired substantially all of the lab and testing assets of EnviroTest Laboratories Inc, including its name.

EnviroTest Laboratories, LLC. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: Ulster BOCES

Job Number: 420-199054-1
SDG Number: Chambers Elem

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200.7/200.8

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Ulster BOCES

Job Number: 420-199054-1
SDG Number: Chambers Elem

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Luis, Carlos	CL

SAMPLE SUMMARY

Client: Ulster BOCES

Job Number: 420-199054-1
SDG Number: Chambers Elem

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-199054-1	237 Custodian Toilet	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-2	238 Kitchen	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-3	239 Women's Bathroom by Main Office	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-4	240 Women's Bath Main	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-5	241 Women's Bath Main	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-6	242 Bottle Filler Across Library	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-7	243 Men's Bathroom by Main	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-8	244 Main Men's Bath	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-9	245 Faculty Lounge	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-10	246 Room 9	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-11	247 Storage B	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-12	248 Room 10	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-13	249 Room 11	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-14	250 Room 12	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-15	251 Room 13	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-16	252 Room 13	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-17	253 Room 14	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-18	254 Room 14	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-19	255 Room 15	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-20	256 Room 15	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-21	257 Room 16	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-22	258 Room 16	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-23	259 Room 17	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-24	260 Room 17	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-25	261 Room 18	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-26	262 Room 18	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-27	263 Principal	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-28	264 Women's Bathroom by Gym	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-29	265 C-4	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-30	266 Health Office	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-31	267 Health Office	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-32	268 Room 7	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-33	269 Room 7	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-34	270 Room 8	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-35	271 Room 8	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-36	272 Room 5	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-37	273 Room 5	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-38	274 Room 6	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-39	275 Room 6	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-40	276 Room 3	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-41	277 Room 3	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-42	278 Room 4	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-43	279 Room 1	Drinking Water	05/22/2021 0600	06/07/2021 0948

SAMPLE SUMMARY

Client: Ulster BOCES

Job Number: 420-199054-1
SDG Number: Chambers Elem

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-199054-44	280 Room 1	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-45	281 Room 2	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-46	282 Room 2	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-47	283 Kindergarten A	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-48	284 Kindergarten A	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-49	285 Kindergarten B	Drinking Water	05/22/2021 0600	06/07/2021 0948
420-199054-50	286 Kindergarten B	Drinking Water	05/22/2021 1500	06/07/2021 0948

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 237 Custodian Toilet
Lab Sample ID: 420-199054-1

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1455	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 238 Kitchen
Lab Sample ID: 420-199054-2

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1502	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 239 Women's Bathroom by Main Office
Lab Sample ID: 420-199054-3

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1504	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 240 Women's Bath Main
Lab Sample ID: 420-199054-4

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1506	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 241 Women's Bath Main
Lab Sample ID: 420-199054-5

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1509	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 242 Bottle Filler Across Library
Lab Sample ID: 420-199054-6

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1511	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 243 Men's Bathroom by Main
Lab Sample ID: 420-199054-7

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1513	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 244 Main Men's Bath
Lab Sample ID: 420-199054-8

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1522	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 245 Faculty Lounge
Lab Sample ID: 420-199054-9

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1528	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 246 Room 9
Lab Sample ID: 420-199054-10

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1530	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 247 Storage B
Lab Sample ID: 420-199054-11

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1533	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.7	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 248 Room 10
Lab Sample ID: 420-199054-12

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1535	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 249 Room 11
Lab Sample ID: 420-199054-13

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1537	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 250 Room 12
Lab Sample ID: 420-199054-14

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1539	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 251 Room 13
Lab Sample ID: 420-199054-15

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1541	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	2.0	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 252 Room 13
Lab Sample ID: 420-199054-16

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1544	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 253 Room 14
Lab Sample ID: 420-199054-17

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1548	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 254 Room 14
Lab Sample ID: 420-199054-18

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1554	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 255 Room 15
Lab Sample ID: 420-199054-19

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1557	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 256 Room 15
Lab Sample ID: 420-199054-20

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1559	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 257 Room 16
Lab Sample ID: 420-199054-21

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1601	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.6	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 258 Room 16
Lab Sample ID: 420-199054-22

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1603	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	2.8	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 259 Room 17
Lab Sample ID: 420-199054-23

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1605	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	2.2	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 260 Room 17
Lab Sample ID: 420-199054-24

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1608	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 261 Room 18
Lab Sample ID: 420-199054-25

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1610	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 262 Room 18
Lab Sample ID: 420-199054-26

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1612	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 263 Principal
Lab Sample ID: 420-199054-27

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1614	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	3.7	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 264 Women's Bathroom by Gym
Lab Sample ID: 420-199054-28

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1627	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	2.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 265 C-4
Lab Sample ID: 420-199054-29

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1629	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	5.2	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 266 Health Office
Lab Sample ID: 420-199054-30

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1632	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 267 Health Office
Lab Sample ID: 420-199054-31

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1634	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 268 Room 7
Lab Sample ID: 420-199054-32

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1636	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 269 Room 7
Lab Sample ID: 420-199054-33

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1638	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	3.0	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 270 Room 8
Lab Sample ID: 420-199054-34

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1640	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 271 Room 8
Lab Sample ID: 420-199054-35

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 07/27/2021 1647		
Prep Method: 200.7/200.8			Date Prepared: 07/26/2021 0831		
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 272 Room 5
Lab Sample ID: 420-199054-36

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1649	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 273 Room 5
Lab Sample ID: 420-199054-37

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1653	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	2.0	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 274 Room 6
Lab Sample ID: 420-199054-38

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1656	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 275 Room 6
Lab Sample ID: 420-199054-39

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed: 07/27/2021 1658	
Prep Method: 200.7/200.8				Date Prepared: 07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 276 Room 3
Lab Sample ID: 420-199054-40

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1700	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 277 Room 3
Lab Sample ID: 420-199054-41

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4 Pb	1.0 U	ug/L	1.0	07/29/2021 1753 1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 278 Room 4
Lab Sample ID: 420-199054-42

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1702	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 279 Room 1
Lab Sample ID: 420-199054-43

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1704	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 280 Room 1
Lab Sample ID: 420-199054-44

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 07/27/2021	1706	
Prep Method: 200.7/200.8			Date Prepared: 07/26/2021	0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 281 Room 2
Lab Sample ID: 420-199054-45

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1713	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 282 Room 2
Lab Sample ID: 420-199054-46

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed: 07/27/2021 1715	
Prep Method: 200.7/200.8				Date Prepared: 07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 283 Kindergarten A
Lab Sample ID: 420-199054-47

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1717	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 284 Kindergarten A
Lab Sample ID: 420-199054-48

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1720	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 285 Kindergarten B
Lab Sample ID: 420-199054-49

Date Sampled: 05/22/2021 0600
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1728	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-199054-1
Sdg Number: Chambers Elem

Client Sample ID: 286 Kindergarten B
Lab Sample ID: 420-199054-50

Date Sampled: 05/22/2021 1500
Date Received: 06/07/2021 0948
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/27/2021 1730	
Prep Method: 200.7/200.8			Date Prepared:	07/26/2021 0831	
Pb	1.0 U	ug/L	1.0	1.0	1.0

DATA REPORTING QUALIFIERS

Client: Ulster BOCES

Job Number:
Sdg Number: Chambers Elem

Lab Section	Qualifier	Description
Metals	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Ulster BOCES

Job Number:

Sdg Number: Chambers Elem

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Setttable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluorene (525.2), Phenanthrene (525.2), Anthracene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

Definitions and Glossary

Client: Ulster BOCES

Job Number:

Sdg Number: Chambers Elem

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

Chain of Custody Record

Client Information		Sampler: Kingston CSD	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #: 199054
Client Contact: C Fischer		Phone: 845-255-1400 X1361	E-Mail: cfischer@ulsterboces.org tcclapper@kingstoncityschools.org		Page: Page 2 of 3
Company: Kingston CSD C/O Ulster BOCES		Analysis Requested			Preservation Codes: A - HCL L - EDA B - NaOH M - Sodium Sulfite C - Zn Acetate N - None D - Nitric Acid O - MCAA E - H2SO4 P - Other (specify) F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate Other:
Address: 21 Wynkoop Place	Due Date Requested:				
City: Kingston	TAT Requested (days):	Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) Chlorine Present (Yes or No) Lead (DW 200.8)	Total Number of containers	Upon Receipt Preservation verified: Y / N	
State, Zip: NY, 12401	PO #:			Special Instructions/Note:	
Phone: 845-2551400 X1361	PWS #:			Sample Identification Client ID (Lab ID) Sample Date Sample Time Sample Type (C=comp, S=solid, G=grab) Matrix (DW= drinking water, W=water, S=solid, O=waste/oil) Preservation Code	
Email: cfischer@ulsterboces.org	Project #:			254 Room 14 5/22/21 G DW G DW X	
Project Name: Ulster BOCES	Additional Contacts:			255 Room 15 5/22/21 G DW G DW X	
Site: Chambers Elementary School				256 Room 15 5/22/21 G DW G DW X	
				257 Room 16 5/22/21 G DW G DW X	
				258 Room 16 5/22/21 G DW G DW X	
				259 Room 17 5/22/21 G DW G DW X	
				260 Room 17 5/22/21 G DW G DW X	
		261 Room 18 5/22/21 G DW G DW X			
		262 Room 18 5/22/21 G DW G DW X			
		263 Principal 5/22/21 G DW G DW X			
		264 Women's Bathroom by Gym 5/22/21 G DW G DW X			
		265 C-4 5/22/21 G DW G DW X			
		266 Health Office 5/22/21 G DW G DW X			
		267 Health Office 5/22/21 G DW G DW X			
		268 Room 7 5/22/21 G DW G DW X			
		269 Room 7 5/22/21 G DW G DW X			
Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle					Container Type P
Size Code: 1=Liter, 2=250 mL, 3=125 mL, 4=40 mL, 5=Gallon, 6=Half Gallon, 7=Other					Container Size 2
Preservation Added Upon Receipt		Date:	Time:	Sample # (s):	
Manufacturer/lot #:					
Relinquished by: <i>[Signature]</i>	Date/Time: 6/7/21 948	Company: <i>[Signature]</i>	Received by: <i>[Signature]</i>	Date/Time: 6/10/21 948	Company: ETL
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
ICE Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Custody Seal No. 60 of 60		Temperature(s) °C/ IR GUN #: 25.5 °C	08/02/2021

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Ulster BOCES

Job Number: 420-199054-1
SDG Number: Chambers Elem

Login Number: 199054

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	25.5 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	