

ANALYTICAL REPORT

Job Number: 420-198962-1
SDG Number: Harry L. Edson Elem
Job Description: Ulster BOCES

For:
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Attention: Christy Fischer



Designee for
Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
07/25/2021

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories LLC certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative. All services performed by EnviroTest Laboratories LLC are subject to our Terms and Conditions available at Envirotestlabs/terms.com. As of 12/23/19, EnviroTest Laboratories LLC acquired substantially all of the lab and testing assets of EnviroTest Laboratories Inc, including its name.

EnviroTest Laboratories, LLC. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: Ulster BOCES

Job Number: 420-198962-1
SDG Number: Harry L. Edson Elem

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200.7/200.8

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Ulster BOCES

Job Number: 420-198962-1
SDG Number: Harry L. Edson Elem

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Luis, Carlos	CL

SAMPLE SUMMARY

Client: Ulster BOCES

Job Number: 420-198962-1
SDG Number: Harry L. Edson Elem

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-198962-1	079 Kitchen	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-2	080 Custodian	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-3	081 B-28	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-4	082 B-27	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-5	083 Bottle Filler Cafeteria	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-6	084 B-18	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-7	085 B-17	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-8	086 B-16	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-9	087 B-15	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-10	088 B-11	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-11	089 B-12	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-12	090 B-13	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-13	091 B-14	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-14	092 A-3-C	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-15	093 A-4	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-16	094 A-5	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-17	095 C-6	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-18	096 C-5	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-19	097 C-14	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-20	098 C-15	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-21	099 C-18	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-22	100 C-8	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-23	101 C-9	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-24	102 C-10	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-25	103 B-5	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-26	104 B-4	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-27	105 B-6	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-28	106 Nurse's Office	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-29	107 Nurse's Office	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-30	108 Isolation Room	Drinking Water	05/22/2021 0600	06/03/2021 1317
420-198962-31	109 Principal's Office	Drinking Water	05/22/2021 1500	06/03/2021 1317

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 079 Kitchen
Lab Sample ID: 420-198962-1

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1142	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 080 Custodian
Lab Sample ID: 420-198962-2

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1151	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 081 B-28
Lab Sample ID: 420-198962-3

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1153	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 082 B-27
Lab Sample ID: 420-198962-4

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1155	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	4.5	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 083 Bottle Filler Cafeteria
Lab Sample ID: 420-198962-5

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1158	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 084 B-18
Lab Sample ID: 420-198962-6

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1200	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.1	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 085 B-17
Lab Sample ID: 420-198962-7

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1202	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.6	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 086 B-16
Lab Sample ID: 420-198962-8

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1209	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.3	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 087 B-15
Lab Sample ID: 420-198962-9

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1211	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 088 B-11
Lab Sample ID: 420-198962-10

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1213	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.3	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 089 B-12
Lab Sample ID: 420-198962-11

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1217	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	10	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 090 B-13
Lab Sample ID: 420-198962-12

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1219	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 091 B-14
Lab Sample ID: 420-198962-13

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1222	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 092 A-3-C
Lab Sample ID: 420-198962-14

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1224	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.2	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 093 A-4
Lab Sample ID: 420-198962-15

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1226	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	2.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 094 A-5
Lab Sample ID: 420-198962-16

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1228	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 095 C-6
Lab Sample ID: 420-198962-17

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1235	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 096 C-5
Lab Sample ID: 420-198962-18

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1237	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 097 C-14
Lab Sample ID: 420-198962-19

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1239	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.1	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 098 C-15
Lab Sample ID: 420-198962-20

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1241	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 099 C-18
Lab Sample ID: 420-198962-21

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1244	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	19 g	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 100 C-8
Lab Sample ID: 420-198962-22

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1252	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 101 C-9
Lab Sample ID: 420-198962-23

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1254	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.2	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 102 C-10
Lab Sample ID: 420-198962-24

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1301	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	1.7	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 103 B-5
Lab Sample ID: 420-198962-25

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1303	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	2.7	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 104 B-4
Lab Sample ID: 420-198962-26

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1305	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	2.5	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 105 B-6
Lab Sample ID: 420-198962-27

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1308	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	5.1	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 106 Nurse's Office
Lab Sample ID: 420-198962-28

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1310	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	4.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 107 Nurse's Office
Lab Sample ID: 420-198962-29

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1312	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	9.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 108 Isolation Room
Lab Sample ID: 420-198962-30

Date Sampled: 05/22/2021 0600
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1314	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	36	g	ug/L	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-198962-1
Sdg Number: Harry L. Edson Elem

Client Sample ID: 109 Principal's Office
Lab Sample ID: 420-198962-31

Date Sampled: 05/22/2021 1500
Date Received: 06/03/2021 1317
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	07/23/2021 1318	
Prep Method: 200.7/200.8			Date Prepared:	07/20/2021 1309	
Pb	5.1	ug/L	1.0	1.0	1.0

DATA REPORTING QUALIFIERS

Client: Ulster BOCES

Job Number:
Sdg Number: Harry L. Edson Elem

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Ulster BOCES

Job Number:

Sdg Number: Harry L. Edson Elem

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Setttable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluorene (525.2), Phenanthrene (525.2), Anthracene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

Definitions and Glossary

Client: Ulster BOCES

Job Number:

Sdg Number: Harry L. Edson Elem

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Ulster BOCES

Job Number: 420-198962-1
SDG Number: Harry L. Edson Elem

Login Number: 198962

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	22.8 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	